









SPECIFICATION

MODEL	RAGE +	
VEHICLE CATEGORY	L5N	
	DIMENSIONS	
VEHICLE DIMENSION (L X W X H)	3200 MM X 1480 MM X 1730 MM	
WHEELBASE	2 , 120 MM	
GROUND CLEARANCE	175 MM	
TRAY SIZE (L X W X H)	1730 MM X 1500 MM X 314 MM	
DECK SIZE	6 FT.	
VOLUME OF STORAGE BOX	125 CFT.	
TURNING RADIUS	2.75 M	
LOADING CAPACITY	500 KG	
GROSS VEHICLE WEIGHT	960 KG	_
TYRE SIZE	4.5 - 10 , 8PR	
	PERFORMANCE	
TOP SPEED	50 KMPH	
TYPICAL RANGE	110-120 KM	
BATTERY CAPACITY	10.8 KWH	
CHARGING TIME	3 HOURS	
ACCELERATION	13 SECOND	
MAX POWER	9.55 KW	
PEAK TORQUE	625 NM	
GRADEABILITY	16%	
SUSP	ENSION AND BRAKE	
FRONT SUSPENSION	HELICAL + DAMPNER	
REAR SUSPENSION	RUBBER DAMPNERS + REAR SHOCKERS	
FRONT BRAKE	HYDRAULIC DRUM	_
REAR BRAKE	HYDRAULIC DRUM	
BATTERY WARRANTY	80000 KM/3 YEARS	
PASSENGER SEATS	1	
GPS DEVICE	OPTIONAL	
ICAT APPROVED	YES	

VARIANTS



RAGE+ DV



RAGE+ PV



RAGE+ FROST



RAGE+ GARBAGE TIPPER







RED



TIGER

ORANGE



PRISTINE

WHITE



AZURE BLUE



Visit us at: www.omegaseikimobility.com ()/omegaseikimobility ()/omegaseikimobility ()/OSMobility_IN ()/omegaseikimobility ()/omegaseikimobility

Regd. Office: 6E 6th Floor, M6 Uppal Plaza, Jasola District Centre, New Delhi - 110025 India. Phone: 011-49753306. Specifications, appearances, equipments, colors, materials and other items of the Omega seiki mobility products shown in this brochure are subject to change by manufacturers at any time without notice and they may vary depending upon local conditions and requirements, Please visit your local dealer for details of any change. Actual body color may differ from the colors in this brochure. #Accessories are not a part of standard equipment.



OPTION FOR RAPID CHARGING

ULTRA LOW RUNNING COST

MAINTAINS O-DEGREE TEMPERATURE FOR UP TO a hunky



Please scan the QR code to download this brochure

